

Version 1.1	SDS Number: 400000000408	Revision Date: 08/03/2020		
SECTION 1. IDENTIFICATION				
Product name	: PURELL® Advanced Hand San	itizer Green Certified Gel		
Manufacturer or supplier's	details			
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 			
Telephone	: 1 (330) 255-6000			
Emergency telephone number	CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outside USA & CANADA			
Recommended use of the o	chemical and restrictions on use			
Recommended use	: Hand Sanitizer			
Restrictions on use	: This is a personal care or cosmo consumers and other users und foreseeable use. Cosmetics and specifically defined by regulation exempt from the requirement of While this material is not consid contains valuable information cr	er normal and reasonably d consumer products, ns around the world, are an SDS for the consumer. ered hazardous, this SDS		

proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large

spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed.



ersion 1.1	SDS Number: 40000000408	Revision Date: 08/03/2020
	 P240 Ground/bond container at P241 Use explosion-proof elect equipment. P242 Use only non-sparking too P243 Take precautionary meas P280 Wear eye protection/ face Response: P305 + P351 + P338 IF IN EYE for several minutes. Remove co to do. Continue rinsing. P337 + P313 If eye irritation pe attention. P370 + P378 In case of fire: Us alcohol-resistant foam to exting Storage: P403 + P235 Store in a well-ve Disposal: P501 Dispose of contents/ cont disposal plant. 	trical/ ventilating/ lighting/ ols. sures against static discharge. e protection. ES: Rinse cautiously with water ontact lenses, if present and eas rsists: Get medical advice/ se dry sand, dry chemical or uish. ntilated place. Keep cool.

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 60 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	 If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	 If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing



Version 1.1	SDS Numbe	er: 400000000408	Revision Date: 08/03/2020			
SECTION 5. FIREFIGHTING MEASURES						
Suitable extinguishing	media : Use wate		ant foam, dry chemical or			

Unsuitable extinguishing	carbon dioxide. : High volume water jet
media	
Specific hazards during firefighting	 Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipm for firefighters	ent : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8.
-------------------------	--



Version 1.1	SDS Number: 400000000408	Revision Date: 08/03/2020
Conditions for safe storage	 Keep away from heat. Use with local exhaust ventilation Avoid contact with eyes. Take measures to prevent the k Keep in properly labelled contain Keep container tightly closed in place. Store in accordance with the page 	ouild up of electrostatic charge. iners. a dry and well-ventilated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	 No personal respiratory protective equipment normally required.
Hand protection	·
Remarks	: No special protective equipment required.
Eye protection	: Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special measures necessary provided product is used correctly.
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Hygiene measures	Ensure that eye flushing systems and safety showers are located close to the working place.Handle in accordance with good industrial hygiene and safety



Version 1.1

SDS Number: 40000000408

Revision Date: 08/03/2020

practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	 liquid clear, colourless, yellow alcohol-like No data available
рН	: 6.5 - 8.5, (20 °C)
Melting point/freezing point Initial boiling point and boiling range	No data availableNo data available
Flash point	: 24 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	:
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.8743 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 3500 - 23000 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous	:	Vapours may form explosive mixture with air.



/ersion 1.1	SDS Number: 40000000408	Revision Date: 08/03/2020
reactions Conditions to avoid Incompatible materials Hazardous decomposition products	 Heat, flames and sparks. Strong oxidizing agents No hazardous decomposition presented in the second s	products are known.
ECTION 11. TOXICOLOGICAL Information on likely routes Inhalation Eye contact Skin contact		
Information on likely route Inhalation Eye contact	s of exposure	

Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405



```
Version 1.1
```

SDS Number: 40000000408

Revision Date: 08/03/2020

Isopropyl Alcohol: Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Isopropyl Alcohol: Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Isopropyl Alcohol:

Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451



sion 1.1	SDS Number: 40000000408	Revision Date: 08/03/202
Result: negative		
IARC	No component of this product pre equal to 0.1% is identified as prot human carcinogen by IARC.	
OSHA	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.	
NTP	No component of this product pre equal to 0.1% is identified as a kr by NTP.	
Reproductive toxicity		
Not classified based on availa	able information.	
Components:		
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
Isopropyl Alcohol:		
Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	production toxicity study
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative	lopment
STOT - single exposure		
Not classified based on availa	able information.	
<u>Components:</u> Isopropyl Alcohol: Assessment: May cause drow	vsiness or dizziness.	
STOT - repeated exposure		
Not classified based on availa	able information.	
	able information.	
Not classified based on availa	able information.	
Not classified based on availa Repeated dose toxicity <u>Components:</u> Ethyl Alcohol:	able information.	
Not classified based on availa Repeated dose toxicity <u>Components:</u> Ethyl Alcohol: Species: Rat	able information.	
Not classified based on availa Repeated dose toxicity <u>Components:</u> Ethyl Alcohol:	able information.	



Version 1.1

SDS Number: 40000000408

Revision Date: 08/03/2020

Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l aquatic invertebrates Exposure time: 48 h : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Toxicity to algae Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 9.6 mg/l aquatic invertebrates Exposure time: 9 d (Chronic toxicity) Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h **Isopropyl Alcohol:** : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Toxicity to fish Exposure time: 96 h : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Toxicity to daphnia and other aquatic invertebrates Exposure time: 24 h : EC50 (Pseudomonas putida): > 1,050 mg/l Toxicity to bacteria Exposure time: 16 h Persistence and degradability Components: Ethyl Alcohol: Biodegradability : Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d

Isopropyl Alcohol: Biodegradability

: Result: rapidly degradable



Version 1.1	SDS Number: 40000000408	Revision Date: 08/03/2020
Bioaccumulative potential		
<u>Components:</u> Ethyl Alcohol: Partition coefficient: n- octanol/water Isopropyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35 : log Pow: 0.05	
Mobility in soil No data available Other adverse effects No data available		
Product: Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, n Class I or Class II ODS as defir Section 602 (40 CFR 82, Subpt	ned by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation	
IATA-DGR UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355
IMDG-Code	
UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Labels	: 3
EmS Code	: F-E, S-D



Version 1.1	SDS Number: 400000000408	Revision Date: 08/03/2020
Marine pollutant National Regulations	: no	
49 CFR UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	: UN 1987 : Alcohols, n.o.s. : 3 : III : 127 : no	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard			
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		ng levels	
		Isopropyl Alcohol	67-63-0	3.4086 %	

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMIIntermediate or Final VOC's (40 CFR 60.489):Ethyl Alcohol64-17-565.2821 %

Isopropyl Alcohol 67-63-0 3.4086 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know Ethyl Alcohol

Ethyl Alcohol	64-17-5	50 - 70 %
Isopropyl Alcohol	67-63-0	1 - 5 %

Pennsylvania Right To Know



Version 1.1	SDS Number: 400000000408	Revision	Date: 08/03/2020	
Ethyl Alcoh Water (Aqu Isopropyl A	a)	64-17-5 7732-18-5 67-63-0	50 - 70 % 20 - 30 % 1 - 5 %	
New Jersey Right To Knov Ethyl Alcoh Water (Aqu Isopropyl A	ol a)	64-17-5 7732-18-5 67-63-0	50 - 70 % 20 - 30 % 1 - 5 %	
California Prop 65		This product does not require a warning label under California		
The components of this product are reported in the following inventories: TSCA : On TSCA Inventory				
AICS	: On the inventory, or in con	On the inventory, or in compliance with the inventory		
DSL	: On the inventory, or in con	On the inventory, or in compliance with the inventory		
ENCS	: On the inventory, or in compliance with the inventory			
ISHL	ISHL : On the inventory, or in compliance with the inventory			
KECI	: On the inventory, or in compliance with the inventory			
PICCS	: On the inventory, or in con	npliance with the ir	nventory	
IECSC	: On the inventory, or in compliance with the inventory			
NZIoC	: On the inventory, or in con	On the inventory, or in compliance with the inventory		

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version 1.1

SDS Number: 40000000408

Revision Date: 08/03/2020

SECTION 16. OTHER INFORMATION

Further information



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date

: 08/03/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.