

# Safety Data Sheet

acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,

1926

## **1 Identification**

· Product identifier

## • Trade name: EP61 Glass and Surface Cleaner

- · Article number: 1989257001, 1989278001
- · Recommended use Glass and surface cleaner
- · Restrictions on use

All other uses than those indicated on the product label and technical data sheet.

#### · Details of the supplier of the safety data sheet

 Manufacturer: Avmor LTD 950, Michelin Laval, QC, Canada H7L 5C1 1-800-387-8074 www.avmor.com • Client Identification Number 119100

Emergency telephone number: CANUTEC 1-613-996-6666

# 2 Hazard(s) identification

· Classification of the product:

GHS05

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

· Hazard pictograms:




· Signal word: Danger

- · Hazard-determining components of labeling:
- Alcohols C7-21 Ethoxylated
- · Hazard statements:

H314 Causes severe skin burns and eye damage.

- Precautionary statements
- P260 Do not breathe dusts or mists.
- P280 Wear protective gloves and eye or face protection.
- P273 Avoid release to the environment. P264 Wash thoroughly after handling.

1926



Drink copious amounts of water and provide fresh air. Immediately call a doctor. Do not induce vomiting.

(Contd. on page 3)

CA

1926

Trade name: EP61 Glass and Surface Cleaner
(Contd. of page 2) <ul> <li>Information for doctor:</li> <li>Most important symptoms and effects, both acute and delayed</li> <li>Contact can cause pain, redness, burns, and even blistering. Burns may not be immediately painful; onset of pain may be delayed minutes to hours. Permanent damage including blindness</li> </ul>
can result after prolonged contact with eyes. 5 Fire-fighting measures • Suitable extinguishing media
<ul> <li>Suitable extinguishing media Use fire fighting measures that suit the environment.</li> <li>Specific hazards arising from the product         In case of accidental fire and extreme heat conditions, the following gaseous products can be released after water evaporation: hydrocarbons, carbon monoxides and dioxides (COx) and nitrogen dioxide (NOx).     </li> <li>Advice for firefighters</li> </ul>
Special protective equipment and precautions for fire-fighters No special measures required.     Additional information This product is not flammable. 6 Accidental release measures
<ul> <li>Personal precautions, protective equipment and emergency procedures Wear recommended protective equipment(s). Keep unprotected persons away.</li> <li>Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up: Surround and absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).</li> </ul>
Use neutralizing agent (eg. food vinegar (5% acetic acid), citric acid, sodium bicarbonate in excess) Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
<ul> <li>7 Handling and storage</li> <li>• Handling:</li> <li>• Precautions for safe handling Ensure good ventilation at the workplace. Prevent formation of aerosols.</li> </ul>
<ul> <li>Conditions for safe storage, including any incompatibilities         <ul> <li>Requirements to be met by storerooms and receptacles: No special requirements.</li> <li>Information about storage in one common storage facility: Not required.</li> <li>Conditions for safe storage, including any incompatibilities</li></ul></li></ul>

# 8 Exposure controls/personal protection

• Appropriate engerering controls Ensure appropriate aeration and ventilation.

(Contd. on page 4)

CA

Trade name: EP61 Glass and Surface Cleaner (Contd. of page 3) · Control parameters · Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls Personal protective equipment: Tightly sealed goggles Protective gloves · General protective and hygienic measures: Avoid contact with the eyes and skin. Do not breathe dust, fume, gas, mist, vapors or spray. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. · Breathing equipment: Not required. · Protection of hands: Protective gloves • Eye protection: Tightly sealed goggles · Body protection: No special measures required. 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: · Form: Liquid · Colour: Light blue · Odour: Surfactant · Odour threshold: Not determined. · pH-value at 25 °C: 11.0-12.0 · Change in condition · Melting point/Melting range: Undetermined. · Boiling point/Boiling range: 100 °C 165 °C · Flash point: · Flammability (solid, gaseous): Not applicable. · Ignition temperature: 235 °C · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard. (Contd. on page 5)

	(Contd. of page
· Explosion limits:	Conta. or page
· Lower:	Not determined.
· Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 25 °C:	1.016-1.026 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density (air=1)	<1 (aqueous solution)
· Evaporation rate	Not determined.
<ul> <li>Solubility in / Miscibility with</li> <li>Water:</li> </ul>	Fully miscible
· Partition coefficient (n-octanol	I/water): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> </ul>	Not determined.
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> </ul>	0.0 %
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezing</li> <li>Incompatible materials: This prodematerials</li> <li>Hazardous decomposition prodematerials</li> </ul>	ng and extreme heat conditions. oduct may react with strong oxidizing agents. <b>lucts:</b>
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezind</li> <li>Incompatible materials: This prodestion and the second s</li></ul>	ording to specifications. ons Reacts with acids. ng and extreme heat conditions. oduct may react with strong oxidizing agents. <b>lucts:</b> n monoxide and carbon dioxide and traces of volatile halogenate of exposure Skin and eyes contact
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezin</li> <li>Incompatible materials: This pro</li> <li>Hazardous decomposition prod In case of decomposition: carbon compounds.</li> <li>Toxicological information</li> <li>Information on the likely routes</li> <li>Acute toxicity:</li> <li>Numerical mesures of toxicit</li> </ul>	ording to specifications. <b>Ons</b> Reacts with acids. ng and extreme heat conditions. oduct may react with strong oxidizing agents. <b>Jucts:</b> n monoxide and carbon dioxide and traces of volatile halogenate <b>of exposure</b> Skin and eyes contact <b>ty</b>
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezing</li> <li>Incompatible materials: This prodestion and the second s</li></ul>	ording to specifications. <b>ons</b> Reacts with acids. ng and extreme heat conditions. oduct may react with strong oxidizing agents. <b>lucts:</b> n monoxide and carbon dioxide and traces of volatile halogenate <b>of exposure</b> Skin and eyes contact
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezin</li> <li>Incompatible materials: This pro</li> <li>Hazardous decomposition prod In case of decomposition: carbon compounds.</li> <li>Toxicological information</li> <li>Information on the likely routes</li> <li>Acute toxicity:         <ul> <li>Numerical mesures of toxicit</li> <li>Components</li> </ul> </li> </ul>	profing to specifications.         pns Reacts with acids.         ng and extreme heat conditions.         pduct may react with strong oxidizing agents.         lucts:         n monoxide and carbon dioxide and traces of volatile halogenate         of exposure Skin and eyes contact         ty         Type       Value (Species)
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezin</li> <li>Incompatible materials: This prodestion</li> <li>Hazardous decomposition prodestion</li> <li>In case of decomposition: carbon compounds.</li> <li>Toxicological information</li> <li>Information on the likely routes</li> <li>Acute toxicity:         <ul> <li>Numerical mesures of toxicit</li> <li>Components Mean of exposure</li> </ul> </li> </ul>	pording to specifications.         pns Reacts with acids.         ng and extreme heat conditions.         poduct may react with strong oxidizing agents.         lucts:         n monoxide and carbon dioxide and traces of volatile halogenate         of exposure Skin and eyes contact         ty         Type       Value (Species)
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezin</li> <li>Incompatible materials: This prodestion and the second se</li></ul>	brding to specifications. ons Reacts with acids. ng and extreme heat conditions. oduct may react with strong oxidizing agents. lucts: n monoxide and carbon dioxide and traces of volatile halogenate of exposure Skin and eyes contact ty Type Value (Species) kg (rat)
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezint</li> <li>Incompatible materials: This prodestion and the second of the s</li></ul>	briding to specifications.         briding to specifications.         brids         ing and extreme heat conditions.         boduct may react with strong oxidizing agents.         bucts:         in monoxide and carbon dioxide and traces of volatile halogenate         of exposure Skin and eyes contact         ty         Type       Value (Species)         kg (rat)         (rat)         hysical, chemical and toxiological characteristics
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezin</li> <li>Incompatible materials: This pro</li> <li>Hazardous decomposition prod In case of decomposition: carbon compounds.</li> <li>Toxicological information compounds.</li> <li>Information on the likely routes         <ul> <li>Acute toxicity:                 <ul> <li>Numerical mesures of toxicit</li> <li>Components Mean of exposure</li> </ul> </li> <li>ATE (Acute Toxicity Estimates)</li> <li>Dermal LD50 27778 mg/k Inhalative LC50 (4 h) 1389 mg/L</li> <li>Symptomes related to the ph</li> <li>by inhalation: Vapours may cause irritati discomfort, nausea, dizziness</li> <li>If on the skin: CORROSIVE:</li> <li>If on the eye:</li> </ul> </li> </ul>	prding to specifications.         pns Reacts with acids.         ng and extreme heat conditions.         poduct may react with strong oxidizing agents.         lucts:         n monoxide and carbon dioxide and traces of volatile halogenate         of exposure Skin and eyes contact         ty         Type       Value (Species)         kg (rat)         (rat)         nysical, chemical and toxiological characteristics         ion to the airways. Inhalation of larger amounts may induces, headache, narcosis, and unconsciousness.         :: Strong caustic effect on skin and mucous membranes.
<ul> <li>Possibility of hazardous reactio</li> <li>Conditions to avoid Avoid freezint</li> <li>Incompatible materials: This prodestion and the second of the s</li></ul>	profing to specifications.         pns Reacts with acids.         ng and extreme heat conditions.         poduct may react with strong oxidizing agents.         lucts:         n monoxide and carbon dioxide and traces of volatile halogenate         of exposure Skin and eyes contact         ty         Type       Value (Species)         kg (rat)         (rat)         nysical, chemical and toxiological characteristics         ion to the airways. Inhalation of larger amounts may inducts, headache, narcosis, and unconsciousness.         : Strong caustic effect on skin and mucous membranes.

1926

	(Contd. of pag
	ter ingestion:
,	ay cause irritation of the gastrointestinal tract, nausea, vomiting and headache. ensitization: No sensitizing effects known.
٠De	yed and immediate effects, and chronic effects from short-term and long-te
	sure
	nged or frequent contact can cause eczema and inflammation of the skins as a result
	asing.
	ional toxicological information:
	product shows the following dangers according to internally approved calculation methods
•	irations: sive
Irr	
	owing will lead to a strong caustic effect on mouth and throat and to the danger of perfora
	pphagus and stomach.
	cinogenic categories
	RC (International Agency for Research on Cancer)
Nor	f the ingredients is listed.
	FP (National Toxicology Program)
Nor	f the ingredients is listed.
	gical information
	gical mormation

- 301.
- · Behavior in environmental systems:
- **Bioaccumulative potential** Does not accumulate in organisms • **Mobility in soil** No further relevant information available.
- Ecotoxicity No relevant information available
  - Remark: Harmful to fish
  - · General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

## **13 Disposal considerations**

· Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system unless significantly diluted or neutralized.

- · Uncleaned packagings:
  - Recommendation: Disposal must be made according to official regulations.
  - · Recommended cleansing agent: Water.

(Contd. on page 7)

CA

1926

# Trade name: EP61 Glass and Surface Cleaner

(Contd. of page 6)

· DOT, IMDG, IATA	UN3267
UN proper shipping name · DOT	Corrosive liquid, basic, organic, n.o.s.
Transport hazard class(es) · Class	8 Corrosive substances
Packing group · DOT	111
Environmental hazards: · Marine pollutant:	No

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of creation/last revision: 05/13/2015

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

(Contd. on page 8)

# Trade name: EP61 Glass and Surface Cleaner

(Contd. of page 7)

CA

LD50: Lethal dose, 50 percent Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1