## SAFETY DATA SHEET

Issuing date 24-Oct-2013 Revision Date 9-April-2018 Version 4

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Matrix Double Strength Encapsulant Plus

Other means of identification

Product Code 611189

**Document** 611189CG1-4/611189CG55

Recommended use of the chemical and restrictions on use

Recommended use Soil-Encapsulating Cleaner

Details of the supplier of the safety data sheet

Distributor Jon-Don, Inc. 400 Medinah Rd. Rosell, IL 60172

Emergency telephone number

**24 Hour Emergency Phone Number** INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Company Phone Number 800-556-6366

## 2. HAZARDS IDENTIFICATION

#### Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2

## Label elements

#### **Emergency Overview**

## Warning

#### Hazard Statements

Causes serious eye irritation



Appearance Translucent Liquid

Physical state Liquid

Odor Lavender

#### **Precautionary Statements - Prevention**

- · Wash face, hands and any exposed skin thoroughly after handling
- · Wear eye/face protection

## **Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

- IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Storage**

Store in a well-ventilated place

#### **Precautionary Statements - Disposal**

Dispose of contents/container to approved disposal facility

## Hazards not otherwise classified (HNOC)

#### Other information

- May be harmful in contact with skin
- · Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity

13.46% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Sodium lauryl sulfate	151-21-3	10% - 12%	*
Isopropyl alcohol	67-63-0	3% - 5%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

**General advice** Show this safety data sheet to the doctor in attendance.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists, consult a specialist.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

see a physician.

**Inhalation** If qualified give oxygen or artificial respiration as needed.

Ingestion Do not induce vomiting unless directed by a physician. If conscious and alert, give two

glasses of water. Seek medical attention immediately.

## Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use CO2, dry chemical, or foam.

**Unsuitable Extinguishing Media** This product contains alcohols which will reduce the effectiveness of normal foam. Use alcohol-resistant foam instead.

#### Specific hazards arising from the chemical

No information available.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. ELIMINATE all ignition sources (no smoking, flares, sparks or

flames in immediate area). Use personal protective equipment. Avoid contact with skin,

eyes and clothing.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Mop up & flush to sanitary sewer with plenty of water. Floors may be slippery. Use care to

avoid falls.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or

smoke when using this product.

Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep away from open flames, hot surfaces and sources of ignition. Keep container in cool well-ventilated area. Keep container tightly closed. Store away from incompatible materials.

Keep out of the reach of children.

**Incompatible products** Strong oxidizers, alkalis, acids. .

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Expecial Calabinist	Notion decien out her Expected delections.			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm	
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm	
			TWA: 980 mg/m <sup>3</sup>	
			STEL: 500 ppm	
			STEL: 1225 mg/m <sup>3</sup>	

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety Glasses.

**Skin and body protection** Rubber gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures**Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Liquid

Appearance Translucent Liquid Odor Lavender

Color Translucent Odor Threshold No information available

Property Values Remarks • Methods

**pH**  $8.5 \pm 0.5$ 

Melting/freezing point No information available

Boiling point/boiling range Approx. 100 °C / Approx. 212 °F

Flash Point No information available TCC

Evaporation rate Similar to water Similar to water

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit
Lower flammability limit
No information available
No information available

Vapor pressure NE Vapor density NE

 $1.020 \pm .005$ **Specific Gravity** Water solubility Completely soluble. No information available Solubility in other solvents Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing Properties** No information available

Other information

Softening point No information available Molecular Weight No information available

VOC Content(%) < 5%

Density VALUE No information available Bulk Density VALUE No information available

## 10. STABILITY AND REACTIVITY

**Chemical stability** 

Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

**Conditions to Avoid** 

Heat, flames and sparks.

**Incompatible Materials** 

Strong oxidizers, alkalis, acids. .

**Hazardous Decomposition Products** 

Ammonia Vapors. If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information Severe eye irritant

**Inhalation** Inhalation of vapors in high concentration may cause irritation of the respiratory system.

May cause drowsiness or dizziness.

**Eye contact** Severely irritating to eyes.

**Skin contact** Prolonged contact may cause irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Sodium lauryl sulfate 151-21-3	= 977 mg/kg (Rat)	= 580 mg/kg(Rabbit)	> 3900 mg/m³(Rat)1 h
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg(Rabbit)	= 72600 mg/m³(Rat)4 h

## Information on toxicological effects

**Symptoms** No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic effectsNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	-	Group 3	-	-
67-63-0				

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

Chronic toxicity No known effect based on information supplied.

**Aspiration hazard** No information available.

#### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 13.46% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 6965 mg/kg
ATEmix (dermal) 4391 mg/kg
ATEmix (inhalation-dust/mist) 7.1 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

13.46% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants		Fish	Crustacea
Sodium lauryl sulfate	53: 72 h Desmodesmus subspicatus	8 - 12.5: 96 h P	imephales promelas	-
151-21-3	mg/L EC50 30 - 100: 96 h	mg/L LC50	static 7.97: 96 h	

	Desmodesmus subspicatus mg/L	Brachydanio rerio mg/L LC50	
	EC50 117: 96 h Pseudokirchneriella	flow-through 9.9 - 20.1: 96 h	
	subcapitata mg/L EC50 3.59 - 15.6:	Brachydanio rerio mg/L LC50	
	96 h Pseudokirchneriella	semi-static 4.62: 96 h	
	subcapitata mg/L EC50 static	Oncorhynchus mykiss mg/L LC50	
		flow-through 4.2: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		15 - 18.9: 96 h Pimephales	
		promelas mg/L LC50 static 22.1 -	
		22.8: 96 h Pimephales promelas	
		mg/L LC50 static 4.3 - 8.5: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static 4.06 - 5.75: 96 h Lepomis	
		macrochirus mg/L LC50 static 4.2 -	
		4.8: 96 h Lepomis macrochirus	
		mg/L LC50 flow-through 4.5: 96 h	
		Lepomis macrochirus mg/L LC50	
		5.8 - 7.5: 96 h Pimephales promelas	
		mg/L LC50 static 10.2 - 22.5: 96 h	
		Pimephales promelas mg/L LC50	
		semi-static 6.2 - 9.6: 96 h	
		Pimephales promelas mg/L LC50	
		13.5 - 18.3: 96 h Poecilia reticulata	
		mg/L LC50 semi-static 10.8 - 16.6:	
		96 h Poecilia reticulata mg/L LC50	
		static 1.31: 96 h Cyprinus carpio	
		mg/L LC50 semi-static	
Isopropyl alcohol	1000: 96 h Desmodesmus	11130: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 static 1400000: 96 h	EC50
	Desmodesmus subspicatus mg/L	Lepomis macrochirus µg/L LC50	
	EC50	9640: 96 h Pimephales promelas	
		mg/L LC50 flow-through	

# Persistence and degradability No information available.

## **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Sodium lauryl sulfate 151-21-3	1.6
Isopropyl alcohol 67-63-0	0.05

No information available Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment** 

Disposal should be in accordance with applicable regional, national and local laws and **Waste Disposal Methods** 

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable

Isopropyl alcohol 67-63-0	Toxic Ignitable

14. TRANSPORT INFORMATION

**DOT** Not regulated

Proper shipping name Cleaning Compound, Not Regulated

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA -DSL/NDSL -

EINECS/ELINCS -

**ENCS** Does not Comply

IECSC KECL PICCS AICS -

#### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	1.0
SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	no

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol	X	X	X
67-63-0			

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

16. OTHER INFORMATION								
NFPA_	Health Hazards 1	Flammability 0	Instability 0	Physical and chemical hazards				
<u>HMIS</u>	Health hazard 1	Flammability 0	Physical Hazards 0	Personal protection X				
Prepared By Issuing date 24-Oct-2013 Revision Date 9-April-201 Revision Note								

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**